Kerendia® (finerenone) tablets 10 mg • 20 mg

For adults with chronic kidney disease in Type 1 diabetes (CKD in T1D)

Have a conversation about KERENDIA®—the first treatment approved for CKD in T1D in over 30 years



Understanding your kidney health starts with asking the right questions.

Use this at your next doctor visit.

What is KERENDIA?

KERENDIA (finerenone) is a prescription medicine used to treat adults with CKD in T1D. KERENDIA is proven to reduce UACR, a measure of protein in the urine, which is expected to reduce the risk of:

- Worsening of kidney disease
- Kidney failure

What is a urine-albumin-creatinine ratio (UACR)? What does my UACR result mean for my kidney health?

My UACR is _____

What is an estimated glomerular filtration rate (eGFR)?

My eGFR is _____

Why am I at risk for worsening of chronic kidney disease?

What is KERENDIA?

KERENDIA (finerenone) 10 mg, 20 mg tablets is a prescription medicine used to reduce urinary albumin-to-creatinine ratio (UACR), a measure of protein in the urine, which is expected to reduce the risk of worsening of kidney disease and kidney failure in adults with chronic kidney disease (CKD) associated with Type 1 diabetes (T1D)

Important Safety Information

Do not take KERENDIA if you:

- Are allergic to any of the ingredients in KERENDIA
- Take certain medications called CYP3A4 inhibitors. Ask your healthcare provider if you are not sure if you are taking any of these medications
- Have problems with your adrenal glands

Please see Important Safety Information throughout and the full Prescribing Information here: www.kerendia.com/pi.

Kerendia® (finerenone) tablets 10 mg • 20 mg

For adults with chronic kidney disease in Type 1 diabetes (CKD in T1D)



How does KERENDIA work differently than other medications?

What potential side effects should I watch out for?

Notes and questions for my doctor:

Important Safety Information (cont'd)

What are the possible side effects of KERENDIA?

KERENDIA may cause serious side effects, including:

- **High potassium levels in your blood (hyperkalemia).** Your healthcare provider will check your potassium level before and during treatment with KERENDIA.

The most common side effects of KERENDIA include hyperkalemia (potassium level in your blood that is higher than normal), hypotension (blood pressure that is lower than normal), and hyponatremia (sodium level in your blood that is lower than normal).

Before you take KERENDIA, tell your healthcare provider about all your medical conditions, including if you:

- Have high potassium levels in your blood (hyperkalemia) or take medications that may increase potassium levels in your blood
- Have severe liver problems
- Are pregnant or plan to become pregnant, or are breastfeeding or plan to breastfeed. Avoid breastfeeding during treatment with KERENDIA and 1 day after treatment

Savings and support

Kerendia® (finerenone) tablets 10 mg • 20 mg

We are dedicated to ensuring that patients can start their journey with KERENDIA® smoothly. To navigate access and affordability, we have resources available for you.

Sign up for a Free Trial Voucher of KERENDIA*

New patients can get up to 30 days of KERENDIA at no cost
through the KERENDIA Free Trial Voucher, regardless of insurance coverage

Visit KERENDIAfreetrial.com for more information or call 1-888-KERENDIA



If you have Medicare, consider the following Medicare programs to save on cost:

Medicare Prescription Payment Plan (M3P)
The Medicare Prescription Payment plan helps manage out-of-pocket costs by smoothing them out over the year.

Medicare Extra Help/Low Income Subsidy (LIS)
The Medicare Extra Help/LIS program helps people with limited income and resources pay for their Medicare Part D prescriptions.

Learn more about these Medicare programs at KERENDIA.com/LISInfo

If you have commercial insurance:

Pay as little as $0 with the KERENDIA Copay Savings Card†
Eligible commercial patients may pay as little as **$0 per month for KERENDIA**.

Visit KERENDIA.com/copay for more information or call 1-888-KERENDIA



*Terms and Conditions apply.
†Patients are eligible if they are commercially insured. Benefit limitations apply. Patients who are enrolled in any type of government insurance or reimbursement programs are not eligible. Full Terms and Conditions apply.

Bayer US **Patient Assistance Foundation**

Bayer US **Patient Assistance Foundation**

If you cannot afford your prescription medication, Bayer may be able to help.

The Bayer US **Patient Assistance Foundation** is a charitable organization that helps eligible patients get Bayer prescription medicine at no cost.

Please contact the program at **1-866-2BUSPAF** (228-7723) Monday–Friday, 9:00 AM–6:00 PM ET or visit the foundation website at **www.patientassistance.bayer.us** for information to see if you may qualify for assistance.

Important Safety Information (cont'd)

Tell your healthcare provider about all the prescription and over-the-counter medicines you take, including salt substitutes, vitamins, and herbal or potassium supplements.

- KERENDIA may affect the way other medications work, and other medications may affect how KERENDIA works. Do not start or stop any medicine before you talk with your healthcare provider. Avoid grapefruit or grapefruit juice, as it may increase KERENDIA levels in the blood.

You are encouraged to report side effects or quality complaints of products to the FDA by visiting www.fda.gov/medwatch or calling 1-800-FDA-1088.

Please see full Prescribing Information for KERENDIA.

© 2026 Bayer Pharmaceuticals, Inc. All rights reserved. BAYER, the Bayer Cross, and KERENDIA are registered trademarks of Bayer.

PP-KER-US-4332-1 10/26